



Optocoupler



PRODUCT CERTIFICATE

No.: CQC08001024729

NAME AND ADDRESS OF THE APPLICANT

Vishay Semiconductor Malaysia Sdn Bhd
No. 1710-1, Kawasan Perindustrian Krubong75250 Melaka

NAME AND ADDRESS OF THE MANUFACTURER

Vishay Semiconductor Malaysia Sdn Bhd
No. 1710-1, Kawasan Perindustrian Krubong75250 Melaka

NAME AND ADDRESS OF THE FACTORY

Vishay Semiconductor Malaysia Sdn Bhd(V002589)
No. 1710-1, Kawasan Perindustrian Krubong75250 Melaka

NAME, MODEL AND SPECIFICATION

Opto Couplers

Refer to annex, Reinforced Insulation, Altitude up to 5000m, ext.cr>7.5mm, dti≥0.4mm, Thermal Cycling test passd

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB8898-2011

CERTIFICATION MODEL

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned products have met the requirements of certification rules CQC11-471543-2012.

Date of issue: Apr.01,2014

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Nov.24,2008

President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>

C 0054786



产品认证证书

证书编号: CQC08001024729

申请人名称及地址

威旭半导体马来西亚有限公司
No. 1710-1, Kawasan Perindustrian Krubong75250 Melaka 马来西亚

制造商名称及地址

威旭半导体马来西亚有限公司
No. 1710-1, Kawasan Perindustrian Krubong75250 Melaka 马来西亚

生产企业名称及地址

威旭半导体马来西亚有限公司 (V002589)
No. 1710-1, Kawasan Perindustrian Krubong75250 Melaka 马来西亚

产品名称和系列、规格、型号

光电耦合器

见附表, 加强绝缘, 外部爬电距离>7.5mm, 绝缘穿透距离≥0.4mm, 通过热循环测试, 适用于海拔5000米及以下

产品标准和技术要求

GB8898-2011

认证模式

产品型式试验+初次工厂检查+获证后监督

上述产品符合CQC11-471543-2012认证规则的要求, 特发此证。

发证日期: 2014年04月01日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持

本证书为变更证书, 证书首次颁发日期: 2008年11月24日

主任: _____



中国质量认证中心

中国·北京·南四环西路188号9区100070

http://www.cqc.com.cn

C 0054786



产品认证证书

附录：
证书编号：CQC08001024729

第 1 页 共 1 页
纸号：54786

型号：
SFH1617A-#XXXX、SFH1617A-#XXXXT、SFH6106-#XXXX、SFH6106-#XXXXT、SFH610A-#XXXX、SFH610A-#XXXXT、
SFH655A-#XXXX、SFH655A-#XXXXT、SFH6156-#XXXX、SFH6156-#XXXXT、SFH615A-#XXXX、SFH615A-#XXXXT、
SFH617A-#XXXX、SFH617A-#XXXXT、SFH6186-#XXXX、SFH6186-#XXXXT、SFH618A-#XXXX、SFH618A-#XXXXT、SFH619A-#XXXX、
SFH619A-#XXXXT
注：型号中的变量“#”代表CTR等级代码，可能为字母A-Z或者数字0-9或空白的组合；“XXXX”代表封装形式和VDE局部
放电或是客户的代号，可能为字母A-Z或者数字0-9或空白的组合。T表示包装方式，可以是编带和卷轴，如是料管包装，
T为空白。

注：此附录与证书同时使用时有效。

主任： 



中国质量认证中心

中国·北京·南四环西路188号9区100070
<http://www.cqc.com.cn>