## Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions

$$\label{eq:max-ey} \begin{split} \text{Max-Eyth-Straße 1} & \cdot \text{74638 Waldenburg} \cdot \text{Germany} \\ \text{Tel.} & +49 \, (0) \, 79 \, 42 \, 945 - 0 \cdot \text{Fax} \, +49 \, (0) \, 79 \, 42 \, 945 - 400 \\ \text{eiSos@we-online.de} & \cdot \text{www.we-online.de} \end{split}$$



| Product/Process Change Notice (PCN)  ☐ Major change ☐ Minor change  |   |  |  |
|---|---|--|--|
| PCN #: WE_LQ_20160920 Product Affected: WE-LQ size 1812 series PCN Date: September 20st 2016 Effective Date: December 20st 2016 | <ul><li>□ Product Mark</li><li>□ Date Code</li><li>☑ Packaging</li><li>□ Others</li></ul> |  |  |
| Contact: Product Management   | Attachment: ☐ Yes ☐ No  |  |  |
| Phone: +49 (0) 7942 - 945 5001  Fax: +49 (0) 7942 - 945 5179  E-mail: pcn.eisos@we-online.de                                    | Samples:  |  |  |
| DESCRIPTION AND DURDOOF OF QUANCE   |   |  |  |


## **DESCRIPTION AND PURPOSE OF CHANGE:**


In order to improve the quality of transportation, the cavity of the carrier tape will be changed to reduce the movements and avoid wrong positions in the carrier tape.

## **DETAIL OF CHANGE:**

The dimension B0 and T2 will be change from 5.00 mm and 3.50 mm, respectively, to 4.80 mm and 3.35 mm, reducing the space at the case where the parts are located into the carrier tape.

| Dimension | Before Change | After Change |
|-----------|---------------|--------------|
| В0        | 5.00          | 4.80         |
| T2        | 3.50          | 3.35         |





Würth Elektronik eiSos GmbH & Co. KG Sitz Waldenburg, Registergericht Stuttgart HRA 580801

## Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions

$$\label{eq:max-ey} \begin{split} \text{Max-Eyth-StraBe 1} & \cdot \text{74638 Waldenburg} \cdot \text{Germany} \\ \text{Tel.} & +49 (0) \, 79 \, 42 \, 945 - 0 \cdot \text{Fax} \, +49 (0) \, 79 \, 42 \, 945 - 400 \\ \text{eiSos@we-online.de} & \cdot \text{www.we-online.de} \end{split}$$



| RELIABILITY / QUALIFICATION SUMMARY:  |  |      |
|---|--|------|
| Product approval is according to the specification and is internally released by the Product Management Department. |  |      |
| DATA SHEET CHANGE:  |  | ☐ No |