

Bar Light



Model	Size(mm*mm*mm)	Working area (mm*mm)	Current (<A)	Power (<W)	Color	Operating Temperature	Storage Temperature
NTB-C75W	80.5*21*29	72.5*14	0.21	3.9	White	0~40°C	-20~60°C
NTB-C75B	80.5*21*29	72.5*14	0.21	3.9	Blue		
NTB-C75R	80.5*21*29	72.5*14	0.21	3	Red		
NTB-C75G	80.5*21*29	72.5*14	0.21	3.9	Green		
NTB-C145W	155*21*29	147*14	0.42	8.4	White		
NTB-C145B	155*21*29	147*14	0.42	8.4	Blue		
NTB-C145R	155*21*29	147*14	0.42	6.8	Red		
NTB-C145G	155*21*29	147*14	0.42	8.4	Green		
NTB-C220W	230*21*29	220*14	0.53	11.6	White		
NTB-C220B	230*21*29	220*14	0.53	11.6	Blue		
NTB-C220R	230*21*29	220*14	0.53	9.8	Red		
NTB-C220G	230*21*29	220*14	0.53	11.6	Green		
NTB-C295W	305*21*29	295*14	0.72	16.6	White		
NTB-C295B	305*21*29	295*14	0.72	16.6	Blue		
NTB-C295R	305*21*29	295*14	0.72	15.7	Red		
NTB-C295G	305*21*29	295*14	0.72	16.6	Green		
NTB-C370W	380*21*29	370*14	0.95	20.6	White		
NTB-C370B	380*21*29	370*14	0.95	20.6	Blue		
NTB-C370R	380*21*29	370*14	0.95	20.1	Red		
NTB-C370G	380*21*29	370*14	0.95	20.6	Green		



