

Light is OSRAM

01.12.2021

OS-IN-2021-036

OSCONIQ® P 2226 Quantity Per Reel Update (big reel)

Objective	OSCONIQ® P 2226 quantity per reel update.																																				
Products affected	GB DASPA2.13 GD DASPA2.14 GR DASPA2.23 GT DASPA2.13																																				
Background	Update of product datasheet quantity per reel with no impact to the technical specifications of the devices.																																				
Realization	<p><u>Current Tape and Reel</u></p> <table border="1"> <thead> <tr> <th colspan="6">Reel Dimensions</th> </tr> <tr> <th>A</th> <th>W</th> <th>N_{min}</th> <th>W₁</th> <th>W_{2max}</th> <th>Pieces per PU</th> </tr> </thead> <tbody> <tr> <td>330 mm</td> <td>12 + 0.3 / - 0.1 mm</td> <td>60 mm</td> <td>12.4 + 2 mm</td> <td>18.4 mm</td> <td>3000</td> </tr> </tbody> </table> <p><u>New Tape and Reel</u></p> <table border="1"> <thead> <tr> <th colspan="6">Reel Dimensions</th> </tr> <tr> <th>A</th> <th>W</th> <th>N_{min}</th> <th>W₁</th> <th>W_{2max}</th> <th>Pieces per PU</th> </tr> </thead> <tbody> <tr> <td>330 mm</td> <td>12 + 0.3 / - 0.1 mm</td> <td>60 mm</td> <td>12.4 + 2 mm</td> <td>18.4 mm</td> <td>5500</td> </tr> </tbody> </table>	Reel Dimensions						A	W	N _{min}	W ₁	W _{2max}	Pieces per PU	330 mm	12 + 0.3 / - 0.1 mm	60 mm	12.4 + 2 mm	18.4 mm	3000	Reel Dimensions						A	W	N _{min}	W ₁	W _{2max}	Pieces per PU	330 mm	12 + 0.3 / - 0.1 mm	60 mm	12.4 + 2 mm	18.4 mm	5500
Reel Dimensions																																					
A	W	N _{min}	W ₁	W _{2max}	Pieces per PU																																
330 mm	12 + 0.3 / - 0.1 mm	60 mm	12.4 + 2 mm	18.4 mm	3000																																
Reel Dimensions																																					
A	W	N _{min}	W ₁	W _{2max}	Pieces per PU																																
330 mm	12 + 0.3 / - 0.1 mm	60 mm	12.4 + 2 mm	18.4 mm	5500																																
Time Schedule	Start of change: CW49/2021 Customer will start to receive shipments with combinations of old and/or new quantity per reel until CW01/2022.																																				

Assessment

No change in the physical product and no change in reel dimensions.
Fit, form, function and reliability of the device are not affected.

Quantity per reel information will be updated in the product datasheets.

Please direct your inquiry to your local Sales office.

OSRAM Opto Semiconductors
GmbH

Head Office:

Leibnizstrasse 4
93055 Regensburg, Germany
Phone +49 941 850-5
Fax +49 941 850-1002
www.osram-os.com

OSRAM
Opto Semiconductors